(3) If the successful bidder fails to fulfil the above conditions, the article will be put to auction again and if the realisations thereof fall short of the original bid amount in the resale conducted, the original bidder shall have to make good the loss to Government.

The above outer-fly may be seen by the public on any working day between 11 A.M. and 5 P.M.

D. KRISHNA RAO,
Executive Engineer.

OFFICE OF THE ASSISTANT ENGINEER, HEADQUARTER RANGE, MYSORE.

Abstract Notification dated 16th July 1939.

The attention of the public is invited to the notification published on page 1390, of Part VI, of the *Mysore Gazette*, dated 20th July 1939, calling for quotations for taking over on lease the staircase room in the District Office, Mysore, for running a coffee club.

The last date for receiving the quotations is 21st August 1939. The earnest money to be deposited is Rs. 20.

Abstract Notification dated 15th July 1939.

The attention of the public is invited to the notification, published in pages 1390-1393 of Part VI of the *Mysore Gazette*, dated 20th July 1939, calling for tenders for the work of completing the north wing of the Administrative Block of Medical College, Mysore. The last date for receipt of tender is 31st July 1939 at 2 P.M. and the amount of earnest money is Rs. 2,080.

M. A. RAMANUJAM,
Assistant Engineer.

SHIMOGA DIVISION.

Tender Notification.

1. Sealed tenders will be received at the Office of the Executive Engineer, Shimoga Division, Shimoga, up to 4 P.M. on Monday the 21st August 1939 for constructing a Girder Bridge with 12′ road width across the River Dandavathi in Sorab Taluk (5/6 of Sorab-Anavatti Road).

2. Tenders in the prescribed form obtainable from the Office of the Executive Engineer, Shimoga Division, should be addressed to the Executive Engineer, Shimoga Division in a sealed cover and superscribed as "Tender for constructing a Girder Bridge with 12′ road width across the River Dandavathi in Sorab Taluk." The name of the tenderer should also be superscribed on the top of the cover.

3. Each tender must be accompanied by a duplicate challan for having credited into the Treasury the deposit of Rs. 1,500 under "17 (*a*) Public Works Deposits" or Mysore Government Bonds, duly endorsed at face value or market value whichever is less as earnest money. The earnest money of the successful tenderer will be retained as security deposit for due fulfilment of the contract. Such a deposit in cash will not carry any interest.

4. The name of the successful tenderer will be posted on the Notice Board in the Executive Engineer's Office in due course. Within 6 days of the acceptance of the tender, the successful tenderer will be required to execute an agreement in the departmental schedule contiact form for the due fulfilment of the contract and for the execution of all items of work in accordance with the Bombay Specifications (1931).

5. Failure to comply with the condition 5 above or to agree to carry out the work in accordance with the specifications and agreements in force will entail forfeiture of the earnest money.

6. The earnest money of the rejected tenders will be returned on submission of the receipt originally granted, along with an application to the Executive Engineer.

7. Copies of contract documents, schedules and drawings may be seen at any time at the Executive Engineer's Office, Shimoga, on all working days between 11 A.M. and 5 P.M. and may be obtained from that officer on payment of Rs. 5 for each.

8. Specific rates should be given for each item in the schedule accompanying the tender and the rates should be in rupees, annas and pies and expressed in words and figures. Tenders offering a percentage reduction on the estimate amount will be rejected.

9. For baling work a fixed lumpsum quotation may be given after inspection of site and full enquiry. This sum will not be liable to alteration as per actuals and no claims will be entertained beyond the quotation.

10. Any rates or lumpsum amounts for the items not called for if tendered by the tenderer, will not be taken notice of. The rates for such items may be entered in a separate schedule with data and reasons for the same.

11. No alterations which are made by the tenderers in the tender form in the nomenclature of the items of work will be recognized and if corrections are made, the tenders are liable to rejection.

12. There should be no alterations or erasures in the tenders in the rates of items and any corrections made in the rates should be attested to and the number of corrections, if any, in each page noted at the foot of the same by the tenderer.

13. When once the rates tendered have been accepted, they will not be revised under any circumstances. In regard to items of work not tendered, the rates for the same will be calculated by the Executive Engineer on the basis of current rates for materials and labour with a contractor's profit at 5 per cent.

14. The quantities given in the schedule are only approximate and the drawings shown to the contractor are only tentative and are liable to alterations, omissions, deductions or additions, at the discretion of the Executive Engineer or his representative. The tendered rates will hold good for any quantity whether higher or lower than those given in the enclosed schedule.

15. The works should be completed and handed over in a tidy condition to the Public Works Department by the end of May 1941 giving a monthly progress of not less than Rs. 2,000 from the date of commencement mentioned in the agreement, failing which the Executive Engineer may at his discretion, levy a suitable penalty per day which will ordinarily be calculated at 12 per cent per annum on the total outlay as liquidated damages for non-fulfilment of contract and will be recovered from the contractor's outstandings for the period exceeded by him beyond the time fixed and until the work is completed and handed over.

16. The contract should not be sublet.

17. All materials, tools and plant and machinery that will be supplied by the Executive Engineer in the interest of the work shall be accepted by the tenderer at the rates fixed by the Executive Engineer. The tenderer will pay the hire on tools and plant and machinery as per rules from the date of taking over of such machinery, tools and plant from the Stores to the date of return thereto, the dates considered being the dates of acknowledgments of the vouchers in each transaction.

18. The contractor should arrange for the payment of royalty and tolls.

Note:—(*a*) The contractor should at his own cost:—

(1) Provide rods, stakes, ropes and labour required, in setting out the works.

(2) Provide all necessary scaffolding, centering, labour and appliances for hoisting.

(3) Providing mortar mills and sheds to keep materials under cover and also for workmen.

(4) Arrange for protecting work during inclement weather.

(5) Supply requisite temporary lights, water cisterns, water pumps and hoses, sieves, parahs, shoring, strutting and other requisite protective appliances during the progress of work.

(6) Clean away all dirt, rubbish, superfluous materials and debris as they accumulate.

(7) Supply water required for work and workmen and shall provide temporary latrines and drains.

(8) Provide arrangements for pumping and baling of water wherever and whenever necessary with his own pumping apparatus including necessary leading drains, slump pits, etc.

19. A duduction of 5 per cent will be made in the work bills towards the security deposit for the due fulfilment of the contract.

20. "Chamundi Brand" cement alone should be used for all cement works.

21. If cheques are drawn on Bank, such cheques should be forwarded to this office far in advance of the due date to facilitate realisation before the due date of the tender.

Abstract estimate for constructing a Girder Bridge with 12 feet road width across the River Dandavathi in Sorab Taluk. (5/6 of Sorab-Anavatti Road).

No.	Items of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		
1	Earthwork excavating in all soils	C.yds.	0 6 0	2,093	
2	Stone jelly concrete in surki mortar	C.ft.	0 4 6	5,940	
3	Size stone in surki mortar with bond slabs at every 6 feet	,,	0 6 6	30,676	
4	Providing and fixing cement concrete slabs (1 : 2 : 4) with cement plastering, etc., complete	,,	1 0 0	224	
5	Providing, hoisting and fixing R. S. girders (Tata's tested) of sizes 22″×7″ of 75 lbs. at 4′—6″ centre to centre with every fittings, etc., complete	Cwts.	14 8 0	204.91	
6	Providing R. C. C. decking slab with suitable reinforcements	C.ft.	2 4 0	612	
7	Providing cement concrete wearing surface 1 : 2 : 4 with expansion joints of finish, etc.	,,	1 0 0	204	
8	Providing hand railing with angle iron frames as per design including bracing and fixing, etc.	R.ft.	2 0 0	304	
9	Cement pointing (1 : 2)	Sqrs.	4 12 0	32.34	
10	Forming approaches of road and metalling surface, etc., complete	L. S.			
11	Providing rough stone revetment to sides for a length of 50 feet either sides	C.yds.	3 0 0	596	
12	Shoring and baling out water and devition of road, etc.	L. S.			

Notification.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Shimoga Division, up to 3 P.M., on 20th August 1939, for constructing compound wall and repairs to Sri Rameswaraswami Temple and other allied temples at Tirthahalli. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of June 1940.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Shimoga, between the hours of 11 A.M. and 5 P.M.

3. Tender should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a treasury challan for (Rs. 217) rupees two hundred and seventeen for having credited the earnest money to "17 (*a*) P. W. Deposits" and be superscribed "Tender for constructing compound wall and repairs to Sri Rameswaraswami Temple and other allied temples at Tirthahalli" in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office in due course. No enquiry regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the Department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.

12. Quotations must be given in words as well as in figures and they must be in specific term of unit shown against each item of work. Any quotation quoted at so much percentage less or more than estimated rate will not be accepted.

13. The successful tender will have to deposit another sum of Rs. 217 towards the security deposit before the execution of contract agreement.

14. Cement will be supplied by the department and only labour charges should be quoted.

Abstract estimate for constructing compound wall and repairs to Sri Rameswaraswami Temple and other allied temples at Tirthahalli.

No.	Items of work	Unit	Rate	Quantity	Cost
	I. Constructing Compound wall alround temple premises.		Rs. a. p.		Rs.
1	Constructing compound wall with size stone in mud including excavating in foundation filling in foundations, basement slabs, parapets, pillasters and cement concrete coping slabs with cement pointing, etc., complete	R.ft.	1 14 0	445	
2	Providing gate pillars at the entrance 8' high	No.	29 0 0	2	
3	Providing and fixing iron gate, etc., complete as per design	L. S.			
4	Providing and fixing kerb stones	Each	0 8 0	22	
5	Removing existing steps between Aswathakatte	S.ft.	0 1 0	49	
6	Earthwork excavating and forming ramp	C.yd.	0 4 0	73	
7	Rough stone work	"	2 8 0	37	
8	Earthwork levelling ground and forming including removing stones, etc.	"	0 2 6	500	
9	Reconstructing ½ old and ½ new stones revetment	L. S.			
	II. Repairs to Sri Rameswara and Sureswara Temples.				
1	Dismantling laterite brick compound wall	C.ft.	0 0 3	3,580	
2	Earthwork removing platform	C.yd.	0 4 0	16	
3	Dismantling stone in mud with slabs	C.ft.	0 0 4	133	
4	Constructing compound wall with available laterite brick in mud	"	0 1 6	664	

No.	Items of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		Rs.
5	Levelling platforms	C.yd.	0 2 6	47	
6	Removing boulders by blasting	,,	2 0 0	37	
7	Constructing steps	Each	10 0 0	2	
8	Cement concrete 1 : 2 : 4 to stop leaks	C.ft.	0 10 0	194	
9	Cement plastering ¾" thick 1 : 3	Sqr.	9 0 0	5.81	
10	Cement pointing	,,	4 0 0	6.16	
11	Coping over compound wall with laterite brick	R.ft.	0 3 0	280	
12	Cement plastering 1 : 5 compound wall	Sqr.	6 0 0	20.00	
13	Providing jungle wood door ½ panelled and ½ iron barred with hinges, etc., complete	S.ft.	1 8 0	17	
14	Providing and fixing jungle wood door to rear compound wall of Rameswaraswami Temple	,,	1 4 0	25	
15	Blasting rock for forming road way and widening rear of Temple	C.yd.	2 0 0	27	
16	Painting door	L. S.			
17	Clearing the yard gravelling and consolidating, etc., complete	,,			
	III. Pendal in front of Sree Rameswara Temple.				
1	Supplying of Balige pole 2½' girth	R.ft.	0 4 0	150	
2	Carting charges from Agumbe to Tirthahalli	Mile	0 2 6	40	
3	Fixing charges	No.	1 0 0	6	
4	Wire netting 9" square	S.yd.	0 4 0	60	
5	Painting poles	L. S.			
	IV. Pakasala (Repairs).				
1	Removing and refixing damaged windows and doors with necessary repairs	S.ft.	0 4 0	42	
2	Flooring with cement concrete and cement plastering with 9" square cut, etc., complete	Sqr.	18 0 0	2.54	
3	White-washing	,,	0 5 0	16.96	
4	Patch repairs	C.ft.	0 3 6	10	
5	Providing and fixing new ridge tiles in place of broken ones	No.	0 10 0	15	
6	Providing and fixing new Mangalore tiles in place of broken ones	,,	0 2 6	40	
7	Chunam borders over roof	R.ft.	0 4 0	40	
	V. Improving Aswathakatte in front of Madhava Temple.				
1	Dismantling the existing damaged platform	C.ft.	0 0 3	270	
2	Constructing stone retaining wall around in mud with founda.ion making use of old available stones	,,	0 2 0	335	
3	Cement pointing	Sqr.	4 0 0	1·80	
4	Slabs over retaining wall	S.ft.	0 6 0	68	
5	Providing steps	No.	8 0 0	1	
6	Other unforeseen charges	L. S.			
	VI. Repairs to Madhava and Sree Venkataramanaswami Temples.				
1	Dismantling and lowering compound wall	C.ft.	0 0 3	561	
2	Constructing damaged compound wall with available stones	,,	0 2 0	221	
3	Coping over laterite brick in mud	R.ft.	0 3 0	140	
4	Cement plastering compound wall	Sqr.	6 0 0	22·20	
5	Clearing the compound yard by removing rank vegetation and levelling, etc.	L. S.			
6	Constructing steps with parapet, etc., complete	,,			
7	Removing the damaged retaining wall and reconstructing to one uniform level with available stones	C.ft.	0 2 0	270	
8	Levelling the premises of Venkataramanaswamy temple including removal of rank vegetation	C.yd.	0 4 0	50	
9	Balsting rock, etc.	L. S.			

No.	Items of work	Unit	Rate	Quantity	Cost
	VII. Improvements to Bhoga Mantapam.		Rs. a. p.		Rs.
1	Excavating foundations	C.yd.	0 4 0	11	
2	Filling in foundations with cement concrete 1 : 4 : 8	C.ft.	0 7 0	92	
3	Size stone in mud	,,	0 5 0	188	
4	Burnt stone pillars $1\frac{1}{4}' \times 1\frac{1}{4}'$ roughly dressed including hoisting	R.ft.	2 0 0	54	
5	Burnt stone beams $1' \times 1'$ do	,,	1 12 0	51	
6	Conveying slabs including hoisting and fixing in cement concrete and roughly dressed 6" thick	S.ft.	1 0 0	196	
7	Slabs over retaining wall 6" thick including rougaly dressing and fixing, etc., complete over retaining wall	,,	0 8 0	68	
8	Constructing masonry Gopuram including cement plastering cornice, etc., complete	L. S.	..	..	
9	Filling the gaps with size stone in cement mortar	C.ft.	0 10 0	30	
10	Cement mortar band, at the joints of the covering slabs	R.ft.	0 3 0	160	
11	Cement pointing to basement	Sqr.	4 0 0	1·82	
12	Unforeseen charges	L. S.	..	..	
	VIII. Miscellaneous Works.				
1	Levelling the acquired area and converting it into garden including enclosing the same with fencing 1 wicket gate and providing seats, etc., complete	L. S.	..	..	
2	Providing, fixing burnt stone slabs paving in the prakaram of Sri Rameswara Temple	S.ft.	0 4 0	1,150	
3	Repairing the existing damaged stone retaining wall height 3' to 6'	R.ft.	0 12 0	332	
4	Underpinning and other unforeseen works such as dismantling the damaged portions and conveying materials and other charges	L. S.	..	..	

D. A. HUKERI,
Executive Engineer.

CHITALDRUG DIVISION.

Abstract Notification dated 14th July 1939.

The attention of the public is invited to the Notification calling for tenders for raising the weirs, constructing lifting dam across the weir halla and other works of Chikkamadhure tank, published in the *Mysore Gazette*, dated 20th July 1939, Part VI, pages 1393-1396.

The last date of receiving tenders is 5th August 1939.

S. RAMASWAMY,
Executive Engineer.

MISCELLANEOUS DEPARTMENTS

OFFICE OF THE INSPECTOR-GENERAL OF POLICE IN MYSORE, BANGALORE.

Notice No. T. C. 295—37-38, dated 19th November 1937.

The public are hereby informed that an Avery's Weigh-bridge to weigh motor vehicles is erected in the Office of the Inspector-General of Police in Mysore, Cenotaph Road, Bangalore City, and that motor vehicles brought for weighment will be weighed on payment of a fee of Rs. 10 for each weighment. A certificate of weighment will invariably be issued with each weighment so made.

F. A. HAMILTON,
Inspector-General of Police.

OFFICE OF THE SUPERINTENDENT, GOVERNMENT PRINTING, BANGALORE.

Abstract Notification dated 18th July 1939.

The attention of the public is invited to the detailed notice, dated 7th July 1939, published on page 1345 of Part VI of the *Mysore Gazette*, dated 13th July 1939, regarding the sale by public auction of unserviceable articles at the Government Branch Press, Mysore, on Friday the 4th August 1939, at 3 P.M.

B. KRISHNASWAMY CHETTY,
Ag. *Superintendent.*